



# WARWICKSHIRE INTELLIGENCE BULLETIN

## STATISTICS ON WOMEN'S SMOKING STATUS AT TIME OF DELIVERY, ENGLAND Q2 2017-18

Date: 7<sup>th</sup> December 2017

Source: <http://digital.nhs.uk/catalogue/PUB30164> (accessed 7<sup>th</sup> December 2017)

### Summary

This report presents the latest results and trends from the women's smoking status at time of delivery (SATOD) data collection in England. A new interactive tool has been published which allows users to select and view information for individual Clinical Commissioning Groups. These provisional results provide a measure of the prevalence of smoking among pregnant women at Commissioning Region, Region, Sustainability and Transformation Partnership and Clinical Commissioning Group level. Finalised results will be published in July 2018.

Smoking during pregnancy can cause serious pregnancy-related health problems. These include complications during labour and an increased risk of miscarriage, premature birth, low birth-weight and sudden unexpected death in infancy.

### Key Findings – England

- 11.0 per cent of pregnant women were known to be smokers at the time of delivery. This compares to 10.8 per cent for the previous quarter (quarter 1, 2017/18).
- The CCGs with the lowest proportion of women known to be smokers at time of delivery were NHS Central London (Westminster) (1.0 per cent), NHS Richmond (2.5 per cent) and NHS Hammersmith and Fulham (2.9 per cent).
- The CCGs with the highest proportions were NHS Blackpool (25.5 per cent), NHS North East Lincolnshire (25.1 per cent) and NHS South West Lincolnshire (23.4 per cent).
- 33 out of 207 CCGs met the new national ambition of 6 per cent or less.



## Key Findings – Coventry and Warwickshire, Q2 2017-18\*

	Number of maternities	Number of women known to be SATOD	Prevalence of women known to be SATOD
<b>Coventry and Rugby CCG</b>	1,463	161	11.1%
<b>South Warwickshire CCG</b>	607	50	8.6%
<b>Warwickshire North CCG</b>	483	63	13.1%

## Key Findings – Coventry and Warwickshire, Q1 and Q2 2017-18\*

	Number of maternities	Number of women known to be SATOD	Prevalence of women known to be SATOD
<b>Coventry and Rugby CCG</b>	2,826	341	12.3%
<b>South Warwickshire CCG</b>	1,196	84	7.3%
<b>Warwickshire North CCG</b>	901	114	12.8%

## Key Findings – Coventry and Warwickshire, 2016-17

	Number of maternities	Number of women known to be SATOD	Prevalence of women known to be SATOD
<b>Coventry and Rugby CCG</b>	5,611	610	10.9%
<b>South Warwickshire CCG</b>	2,611	194	7.4%
<b>Warwickshire North CCG</b>	1,962	225	11.5%

\* From April 2017, the definition has changed to exclude women with unknown smoking status from the denominator when calculating the proportion of women smoking at the time of delivery meaning rates appear to have increased.

